



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL OFFICE :: VISAKHAPATNAM
D.No.39-33-20/4/1, Madhavadhara Vuda Colony, Visakhapatnam – 18.

Ph : 0891-2719380

ORANGE CATEGORY
CONSENT, AUTHORIZATION & BMWA ORDER

Consent & Auth. No: 6581/APPCB/ZO-VSP/KKD/CFO/2021

Date: 14.12.2021

CONSENT is hereby granted for Operation under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof, Authorisation under Rule 6 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Authorization under Rule 10 of Bio Medical Waste Management Rules, 2016 and the rules and orders made there under (hereinafter referred to as 'the Acts', the Rules') to:

**M/s. Vision Emergency and Multispeciality Hospital,
D. No.70-1-32/47A, Ramanayyapeta,
Nagamallithota Junction, Kakinada,
East Godavari District.**

(Hereinafter referred to as 'the Applicant') authorizing to operate the HCF to discharge the effluents from the outlets and the quantity of emissions per hour from the chimneys as detailed below:

i) Outlets for discharge of effluents:

Outlet No.	Outlet Description	Max Daily Discharge	Point of Disposal
1.	Lab Washings & Domestic	22.5 Kilo Liters/Day	After disinfection and treatment in the ETP, the treated wastewater shall be utilized for utilities, flushing of toilets, on land for gardening within the premises to the maximum extent possible and the balance may be discharged into municipal drain, after meeting the standards stipulated.

ii) Emissions from chimneys:

Vent No.	Description of Chimney	Quantity of Emissions at peak flow (m ³ /hr)
1.	Vent attached to the DG set of capacity 1 x 80 KVA	--

iii) HAZARDOUS WASTE AUTHORISATION (FORM - 2) [See Rule 6 (2)]:

M/s. Vision Emergency and Multispeciality Hospital, D. No.70-1-32/47A, Ramanayyapeta, Nagamallithota Junction, Kakinada, East Godavari District is hereby granted an authorization for generation, storage, transport and disposal of Hazardous Wastes namely:

• HAZARDOUS WASTES WITH DISPOSAL OPTION:

S. No	Name of Hazardous Waste	Category of Hazardous waste as per the schedules I, II and III of these rules	Authorized mode of disposal or recycling or utilization or co-processing, etc.	Quantity
1.	Used Lubricating Oil	5.1 of Schedule - I	Shall be used as lubricant within the premises (or) Shall be routed through M/s. Andhra Pradesh Environment Corporation (APEMC) so as to send to authorized Re-processors / Recyclers.	10 Lts/ Annum

2.	ETP Sludge	Hazardous	Shall be sent to TSDF through M/s. Andhra Pradesh Environment Corporation (APEMC).	10 Kgs/Month
3.	Residual or discarded chemical waste, used or discarded disinfectants and chemical sludge	Hazardous	The HCF shall dispose residual or discarded chemical waste, used or discarded disinfectants and chemical sludge to TSDF through operator of CBMWTF i.e. M/s.EVB Technologies (CBMWTF), Rajanagaram, East Godavari District.	---

iv) BIO MEDICAL WASTE AUTHORIZATION (FORM - III) (See Rule 10)

(Authorization for operating a facility for generation, collection, reception, treatment, storage, transport and disposal of Bio Medical wastes).

M/s. Vision Emergency and Multispeciality Hospital is an occupier or operator of the facility located at **D. No.70-1-32/47A, Ramanayyapeta, Nagamallithota Junction, Kakinada, East Godavari District** is hereby granted an authorization to generate, segregate & handle BMW as per the capacity given below:

- i. Number of beds of HCF: **50 Nos.**
- ii. Quantity of Bio Medical Waste handled, treated or disposed:

Type of Waste Category	Quantity permitted for Handling
Yellow	6.0 Kgs/Day
Red	2.5 Kgs/Day
White (Translucent)	0.5 Kgs/Day
Blue	1.0 Kgs/Day

This Authorization is subject to the conditions stated below and to such other conditions as may be specified in the Rules in force under the Environment (Protection) Act, 1986.

This order is subject to the provisions of 'the Acts' and the Rules' and orders made there under and further subject to the terms and conditions incorporated in the schedule - A, B, C & D enclosed to this order.

This combined order of Consent, Hazardous Waste Authorization & Bio Medical Waste authorization is issued to operate the health care facility having bed strength of 50 Nos. shall be valid for a period ending with 30th November 2022.

JOINT CHIEF ENVIRONMENTAL ENGINEER (FAC)

To
M/s. Vision Emergency and Multispeciality Hospital,
D. No.70-1-32/47A, Ramanayyapeta,
Nagamallithota Junction, Kakinada,
East Godavari District.

- Copy to Environmental Engineer, Regional Office, Kakinada for information and necessary action.

SCHEDULE - A

1. Any up-set condition in any industrial plant / activity of the HCF, which result in, increased effluent / emission discharge and/ or violation of standards stipulated in this order shall be informed to this Board, under intimation to the Collector and District Magistrate and take immediate action to bring down the discharge / emission below the limits.
2. The HCF should carryout analysis of waste water discharges or emissions through chimneys for the parameters mentioned in this order on quarterly basis and submit to the Board.
3. All the rules & regulations notified by Ministry of Law and Justice, Government of India regarding Public Liability Insurance Act, 1991 should be followed as applicable.
4. The HCF should put up two sign boards (6x4 ft. each) at publicly visible places at the main gate indicating the products, effluent discharge standards, air emission standards, hazardous waste quantities and validity of CFO and exhibit the CFO order at a prominent place in the factory premises.
5. Notwithstanding anything contained in this consent order, the Board hereby reserves the right and powers to review / revoke any and/or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of the Acts by the Board.
6. The applicant shall submit Environment statement in Form V before 30th September every year as per Rule No.14 of E (P) Rules, 1986 & amendments thereof.
7. The applicant should make applications through Online for renewal of Consent (under Water and Air Acts) and Authorization under HWM Rules at least 120 days before the date of expiry of this order, along with prescribed fee under Water and Air Acts and detailed compliance of CFO conditions for obtaining Consent & HW Authorization of the Board. The HCF should immediately submit the revised application for consent to this Board in the event of any change in the raw material used, processes employed, quantity of trade effluents & quantity of emissions. Any change in the management shall be informed to the Board. The person authorized should not let out the premises / lend / sell / transfer their industrial premises without obtaining prior permission of the State Pollution Control Board.
8. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21/22 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Andhra Pradesh Water Rules, 1976 and Air Rules 1982, to Appellate authority constituted under Section 28 of the Water(Prevention and Control of Pollution) Act, 1974 and Section 31 of the Air(Prevention and Control of Pollution) Act, 1981.

SCHEDULE - B

SPECIAL CONDITIONS:

1. The HCF shall operate the 25 KLD ETP continuously and shall maintain log books properly. Separate energy meter and water meters at inlet & outlet of ETP shall be provided within a month.
2. The HCF shall develop greenbelt in the available vacant places in the premises.

WATER:

3. The HCF shall take steps to reduce water consumption to the extent possible and consumption shall NOT exceed the quantities mentioned below:

S. No.	Description	Quantity
1	Lab & Washings & Domestic	22.5 Kilo Liters/Day
	Total	22.5 Kilo Liters/Day

Separate meters with necessary pipe-line shall be maintained for assessing the quantity of water used for each of the purposes mentioned above.

4. The effluent discharged shall not contain constituents in excess of the tolerance limits mentioned below:

Outlet	Parameter	Limiting Standards
1	pH	6.5-9.0
	Total Suspended Solids (TSS at 103 – 105°C)	100 mg/l
	Total Dissolved Solids (TDS)	2100 mg/l
	Chemical Oxygen Demand (COD)	250 mg/l
	Biochemical Oxygen Demand (BOD ₃ at 27 °C)	30 mg/l
	Oil and Grease	10 mg/l
	Bio Assay Test	90% survival of fish after 96 hours in 100% effluent.

5. The HCF shall comply with the CPCB guidelines for utilization of treated effluent in irrigation.
6. The industry shall follow the CPCB “Guidelines for utilization of treated effluents in irrigation” for use of treated effluent in irrigation. The guidelines can be downloaded from CPCB website at the web link – <https://www.cpcb.nic.in/NGT/Guidelines-UTE-Irrigation.pdf>.

AIR:

7. The HCF shall ensure compliance of the National Ambient Air quality standards notified by MoE&F, GoI vide notification GSR 826(E), dt.16.11.2009 at the boundary of the premises during regular operation.
8. The HCF shall comply with emission limits for DG sets of capacity upto 800 KW as per the Notification G.S.R.520 (E), dated 01.07.2003 and G.S.R. 448 (E), dated 12.07.2004 under the Environment (Protection) Act Rules. In case of DG sets of capacity more than 800 KW shall comply with emission limits as per the Notification G.S.R.489 (E), dated 09.07.2002 at serial no.96, under the Environment (Protection) Act, 1986.
9. The HCF shall take measures to comply with the provisions laid down under Noise pollution (Regulation and Control) Amendment Rules, 2010 dated 11.01.2010 issued by MoE&F, GoI to control the noise to the prescribed levels.
10. The HCF shall ensure that no odour nuisance is caused to the surrounding environment.

GENERAL:

11. The HCF shall not dispose the used saline bottles to plastic venders.
12. The HCF shall not mix any Bio Medical Waste with general solid waste and shall hand over the bio medical waste to authorized CBMWTF facility from time to time.
13. The HCF shall not to mix the domestic waste with Bio medical waste and provide separate storage room for domestic waste.
14. Rain water harvesting for roof run-off and surface run-off should be implemented. Before recharging the surface run off, pre-treatment must be done to remove, suspended matter, oil and grease.
15. Storm water control and its re-use shall be as per CGWB and BIS standards for various applications.
16. The solid waste generated shall be properly collected and segregated before disposal to the city municipal facility. Waste paper, cartons, thermo coal, plastic waste, glass etc., shall be disposed to recycling units. E-waste shall be disposed to authorized recycling units. The in-vessel bio-conversion technique shall be used for composting the organic waste. The following rules and regulations notified by the MoEF&CC, GoI shall be implemented:
- Bio Medical Waste Management Rules, 2016.
 - Construction & Demolition Waste Management Rules, 2016.
 - Solid Waste Management Rules, 2016.
 - Hazardous & Other Wastes (Management and Transboundary Movement) Rules, 2016.
 - Batteries (Management & Handling) Amendment Rules, 2010.
 - E-Waste Management Rules, 2016.
 - Noise Rules, 2000.

17. Any other directions / circulars / notices issued by CPCB, MoEF & CC and APPCB shall be followed from time to time.
18. Thick green belt shall be maintained along the boundary of the HCF and at all possible vacant areas.
19. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution control Acts.
20. The Board reserves its right to modify above conditions or stipulate any further conditions and to take action including revoke of this order in the interest of environment protection.
21. The HCF shall submit a compliance report on CFO conditions for every 6 months as on 01st January and 01st July of every year at Regional Office and Zonal Office.

SCHEDULE - C [See Rule 6 (2)]

[CONDITIONS OF AUTHORISATION FOR OCCUPIER OR OPERATOR HANDLING HAZARDOUS WASTES]

1. All the rules and regulations notified by Ministry of Environment and Forests, Government of India under the E (P) Act, 1986 in respect of management, handling, transportation and storage of the Hazardous wastes should be followed.
2. The HCF shall not store hazardous waste for more than 180 days as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and amendments thereof.
3. The HCF shall store Used / Waste Oil in a secured way in their premises till its disposal to the manufacturers / dealers on buyback basis.
4. The HCF shall maintain 6 copy manifest system for transportation of waste generated and a copy shall be submitted to concern Regional Office of APPCB. The driver who transports Hazardous Waste should be well acquainted about the procedure to be followed in case of an emergency during transit. The transporter should carry a Transport Emergency (TREM) Card.
5. The HCF shall maintain proper records for Hazardous Wastes stated in Authorisation in FORM-3 i.e., quantity of Incinerable waste, land disposal waste, recyclable waste etc., and file annual returns in Form- 4 as per Rule 20(2) of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
6. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
7. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
8. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
9. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorization.
10. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
11. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
12. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
13. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.

14. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
15. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.

SCHEDULE - D (See Rule 10)

**[CONDITIONS OF AUTHORISATION FOR OCCUPIER OR OPERATOR HANDLING
BIO MEDICAL WASTES]**

1. The person authorized shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an Officer authorized by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the Bio Medical Wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions as may be stipulated by the prescribed authority.
6. The HCF shall properly collect, segregate and dispose the bio medical waste as per the provisions of Bio-Medical Waste Management Rules, 2016. The Bio-Medical Waste shall not be mixed with other wastes. Records shall be maintained in this regard.
7. All syringes and needles should be mutilated before discarding. Mutilation / shredding must be such as to prevent unauthorized reuse.
8. No untreated Bio-Medical Waste shall be kept stored beyond a period of 48 hours.
9. The HCF shall dispose Bio Medical waste for treatment after disinfection and segregation to the **M/s.EVB Technologies (CBMWTF), Rajanagaram, East Godavrai District** as per the procedure prescribed for the occupier under Bio Medical Waste Management Rules, 2016.
10. The HCF should provide adequate fire protection equipment (such as smoke detectors, fire extinguishers, sand bucket, fire alarm, water sprinklers etc.,) at salient places within the HCFs even at Bio Medical Waste storage area, in accordance with fire safety regulations and the HCF should obtain certificate from fire department.
11. The person authorized shall comply with all the duties as mentioned at Rule 4 of the Bio Medical Waste Management Rules, 2016.
12. The person authorized shall comply with the Rules of the Bio Medical Wastes Management Rules, 2016.

JOINT CHIEF ENVIRONMENTAL ENGINEER (FAC)

To
M/s. Vision Emergency and Multispeciality Hospital,
D. No.70-1-32/47A, Ramanayyapeta,
Nagamallithota Junction, Kakinada,
East Godavari District.